

# NOTICE OF PESTICIDE APPLICATION

For further information regarding this notice please contact the School IPM Coordinator:

GREG WITHAM  
Name

Phone Number: 609-654-5155

The following pesticides will be used at: NEETA SCHOOL, 44 NEETA TRAIL, MEDFORD LAKES, NJ

Pesticide Common Name NUTRITE PROFESSIONAL TERF FERTILIZER	Pesticide Trade Name BIFENTHRIN	EPA Registration Number 53883-160-87245
Pesticide Common Name	Pesticide Trade Name	EPA Registration Number

The Office of Pesticide Programs of the United States Environmental Protection Agency has stated: "Where possible, persons who potentially are sensitive, such as pregnant women, infants, and children, should avoid any unnecessary pesticide exposure."

Location of the pesticide application: SOCCER/FIELD HOCKEY FIELDS

Reason for the pesticide application: ANNUAL TREATMENT

If an indoor application the date and time it is planned:

DATE \_\_\_\_\_ TIME \_\_\_\_\_

In the case of an outdoor application, 3 dates must be listed, in chronological order, on which the outdoor application may take place if the preceding date is canceled.

DATE 7/16/19 (after 1:30 PM) DATE 7/17/19 (after 1:30 PM) DATE 7/18/19 (after 1:30 PM)

Description of the possible adverse effects of the pesticides as per the Material Safety Data Sheets for the pesticides to be used, if available:

See Attached

Pesticide(s) product-label instructions and precautions related to Public Safety:

See Attached



**SAFETY DATA SHEET**  
**Nutrite Professional Turf Fertilizer with**  
**0.069% Bifenthrin Insecticide**

Version 1.0  
Version Date  
06/01/2019

**1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY UNDERTAKING**

**1.1 Product identifier**

Product name                      Nutrite Professional Turf Fertilizer 0.069% Bifenthrin Insecticide

**1.2 Relevant use of the product**

Applications                      Insecticide

**1.3 Manufacturer, Importer or Responsible Party**

Name                                  FERTI TECHNOLOGIES  
Address                                560, Chemin Rhéaume, C.P 129  
    JOL 2J0  
    Saint-Michel, Québec, Canada  
Telephone                              450 454-7521

Contact email                        adidier@fertitechno.com

**1.4 Emergency phone number**

Telephone                              USA National Capital Poison Center : 1 800 222 1222

**2. HAZARDS IDENTIFICATION**

**2.1. The hazard classification of the chemical according to HCS 2012 (US-GHS)**

Acute oral tox 5	H303
Skin Irrit. 2	H315
Eye Irrit. 2A	H319
Acute tox (inh) 5	H333
STOT SE 3	H335
Carc. 1	H350
STOT RE 1	H372
STOT RE 2	H373

**2.2. Danger symbols**



**2.3. Signal word**

Danger

**2.4. Hazard statements**

H303 May be harmful if swallowed  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H333 May be harmful if inhaled  
H350 May cause cancer  
H372 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled.  
H373 May cause damage to organs (heart, thyroid, liver, blood chemistry) through prolonged or repeated exposure if inhaled.

**2.5. Precautionary statements**

Prevention

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.



# SAFETY DATA SHEET

## Nutrite Professional Turf Fertilizer with 0.069% Bifenthrin Insecticide

Version 1.0  
Version Date  
06/01/2019

Response	<p>P260 Do not breathe dust.</p> <p>P264 Wash hands thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.</p> <p>P330 Rinse mouth.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P314 Get medical advice/attention if you feel unwell.</p>
Storage	P405 Store locked up.
Disposal	P501 Dispose of contents/container according to local regulations.
2.6. Description of any hazards not otherwise classified	Not applicable.
2.7. % ingredient(s) with unknown acute toxicity	Not applicable.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name		CAS-Nr.	Concentration %
Calcium carbonate	Limestone (>=80 - <=100%)	1317-65-3	C = 52.8 %
	Quartz (SiO <sub>2</sub> ) (20%)	14808-60-7	
Urea mixture	Carbamide, Carbonyldiamide, Carbamidic Acid) (97.5% - 99.7%)	57-13-6	C = 25.8 %
	Alkalinity as ammonia (150 ppm max)		
	Methylenediurea (0% - 2.5 %)	13547-17-6	
	Biuret (0% -1.5%)	108-19-0	
XCU	Urea (85 – 95%)	57-13-6	C = 11.9 %
	Sulfur (4 – 13%)	7704-39-9	
	Polymer coating (< 5 %)	Mixture	
	Non-hazardous dye (< 1 %)	Proprietary	
0-0-62	Potassium chloride (95 % - 99.5 %)	7447-40-7	C = 6.5 %
	Sodium chloride (0.3 % - 3.7 %)	7647-14-5	
	Calcium and magnesium; Chloride and sulfates (0.2 % - 1.3 %)	Various	
Oil Dri	Montmorillonite (90% - 93%)	1302-78-9	C = 2.5 %
	Quartz (7% - 10%)	14808-60-7	
Bifenthrin	Bifenthrin (13.0 %)	82657-04-3	C = 0.5 %
	Inert Ingredients (87.0 %)	n/a	



# SAFETY DATA SHEET

## Nutrite Professional Turf Fertilizer with 0.069% Bifenthrin Insecticide

Version 1.0  
Version Date  
06/01/2019

### 4. FIRST AID MEASURES

#### 4.1 First Aid measures after Inhalation

Following inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided by a qualified operator. Get medical attention if irritation develops and persists.

#### 4.2 First Aid measures after Skin exposure

Following skin contact Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Get medical attention if irritation develops and persists.

#### 4.3 First Aid measures after Eye exposure

Following eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.

#### 4.4 First Aid measures after Ingestion

Following ingestion Induce vomiting, but only if victim is fully conscious. Never give anything by mouth to an unconscious person. Drink 1 or 2 glasses of water. Do not give milk or alcoholic beverages. Call a physician.

#### 4.5 Most important symptoms and effects, both acute and delayed

INHALATION	Respiratory irritation.
SKIN	Skin irritation, redness,
EYES	Serious eye irritation including, scratching of the cornea, and tearing
INGESTION	May be harmful if a large quantity has been ingested.

#### 4.6 Indication of any immediate medical attention and special treatment needed

Notes to physician: Treat symptomatically.

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

##### Suitable:

Use extinguishing agent suitable for type of surrounding fire. Avoid excessive water to minimize runoff. Prevent firefighter water from entering the environment.

Small fires: Water spray, foam, dry chemical or CO<sub>2</sub>

Large fires: Water spray, fog or foam.

Unsuitable: Not applicable.

#### 5.2 Special hazards arising from chemical or mixture during the fire

Container may rupture on heating. Cool closed containers exposed to fire with water spray. Do not allow run-off from firefighting to enter drains or water courses. Explosive reactions with oxidizing agents such as potassium chlorate and/or peroxides. In case of fire hazardous decomposition products may be produced such as:

- Sulphur oxides
- Ammonia
- Carbon monoxide
- Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Special Protective Precautions or equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

### 6. ACCIDENTAL RELEASE MEASURES



# SAFETY DATA SHEET

## Nutrite Professional Turf Fertilizer with 0.069% Bifenthrin Insecticide

Version 1.0  
Version Date  
06/01/2019

- |   |   |
|---|---|
| <b>6.1 Personal precautions, protective equipment</b> | Wear personal protective equipment.   |
| <b>6.2 Emergency procedures</b>                       | Unprotected persons must be kept away.<br>Evacuate personnel to safe areas.<br>Provide adequate ventilation.<br>Avoid dust formation.<br>Avoid breathing dust.<br>Avoid contact with skin, eyes and clothing. |
| <b>6.3 Methods and materials used for containment</b> | Do not flush into surface water or sanitary sewer system.<br>Prevent further leakage or spillage if safe to do so.<br>Do not let product enter drains.  |
| <b>6.4 Clean-up procedures</b>                        | Use mechanical handling equipment.<br>Clean contaminated surface thoroughly.<br>Pick up and arrange disposal without creating dust.<br>Use a suitable vacuum cleaner.   |

### 7. HANDLING AND STORAGE

- |  |  |
|--|--|
| <b>7.1 Precautions for safe handling</b> | Handle with care.<br>Wear personal protective equipment.<br>Use only in well-ventilated areas.<br>Avoid dust formation.<br>Provide exhaust ventilation if dust is formed.<br>Dust must be extracted directly at the point of origin.<br>Avoid breathing dust.<br>Avoid contact with skin, eyes and clothing. |
| <b>7.2 Conditions for safe storage</b>   | Keep containers tightly closed in a dry, cool and well-ventilated place.<br>Containers should be protected against falling down.<br>Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Store away from incompatible substances.                                  |

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1 ACGIH-Threshold Limit Value (TLV)**

Exposure limit values of the components:  
Respirable crystalline silica dust: ACGIH TLV® = 0,025 mg/m<sup>3</sup>  
Calcium carbonate: ACGIH TLV® = 10 mg/m<sup>3</sup>

**8.2 OSHA-Permissible Exposure Limit (PEL)**

Exposure limit values of the components:

Component / CAS	8H (OSHA, PEL) mg/m <sup>3</sup>
Quartz (SiO <sub>2</sub> ) CAS N°: 14808-60-7	Total dust: 30 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2 (OSHA Z-3) Respirable: 10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2 (OSHA Z-3) Respirable: 250 mppcf / %SiO <sub>2</sub> +5 (OSHA Z-3)
Limestone CAS N°: 1317-65-3	Total dust: 15 mg/m <sup>3</sup> (OSHA Z-1) Respirable : 5 mg/m <sup>3</sup> (OSHA Z-1)
Particulates Not Otherwise Regulated (PNOR):	Total dust: 15 mg/m <sup>3</sup> (OSHA Z-1) Respirable : 5 mg/m <sup>3</sup> (OSHA Z-1)



# SAFETY DATA SHEET

## Nutrite Professional Turf Fertilizer with 0.069% Bifenthrin Insecticide

Version 1.0

Version Date

06/01/2019

### 8.3 Any other exposure limit used or recommended by chemical manufacturer

Non applicable

### 8.4 Engineering Controls

Provide exhaust ventilation if dust is formed. Dust must be extracted directly at the point of origin. Apply technical measures to comply with the occupational exposure limits.

### 8.5 Personal Protective Equipment

#### Hand protection: Gloves

Gloves must be inspected prior to use. Replace when worn.

#### Eye protection: Do not wear contact lenses.

Wear as appropriate: Safety glasses with side-shields

#### Body protection: Long sleeved clothing

Respiratory protection: A NIOSH approved air purifying respirator with a type 95 (R or P) particulate filter may be used under conditions where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited (see manufacturer's respirator selection guide). Use a positive pressure air supplied respirator if there is potential for uncontrolled release, exposure levels are not known or any other circumstances where air purifying respirators may not provide adequate protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed if workplace conditions warrant a respirator use.

Hygiene measures: Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use. Keep working clothes separately.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information of basic physical and chemical properties

Appearance (physical state, colour, etc.)	Multicolored granules, solid
Odour	Odourless
Odour threshold	Not applicable
pH	No data available
Melting point/freezing point;	No data available
Boiling point	Not applicable
Boiling Range	Not applicable
Flash point	No data available
Evaporation rate	Not applicable
Flammability	Not flammable
Upper/lower flammability or explosive limits	No data available



# SAFETY DATA SHEET

## Nutrite Professional Turf Fertilizer with 0.069% Bifenthrin Insecticide

Version 1.0  
Version Date  
06/01/2019

Oxidising properties	No data available
Vapour pressure	Not applicable
Vapour density	No data available
Density	71 lbs./ft <sup>3</sup>
Solubility in water	Partially soluble
Other Solvents	No data available
Partition coefficient (n-octanol/water)	No data available
Auto ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	Not applicable

### 10. STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Not reactive under normal storage and handling condition
<b>10.2 Chemical stability</b>	Stable under recommended storage conditions.
<b>10.3 Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>10.4 Conditions to avoid</b>	Keep at temperatures below 5374 °F (190 °C)
<b>10.5 Incompatible materials</b>	Strong oxidizing agents, Chlorates and Hypochlorites
<b>10.6 Hazardous decomposition products</b>	During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen fluoride. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

### 11. TOXICOLOGICAL INFORMATION

<b>11.1 Measures of Toxicity</b>	
Acute toxicity:	Ingredients:  Mallet: Acute toxicity: LD50 oral (Rat): 2000 mg/Kg
Skin corrosion/irritation:	Causes skin irritation
Serious eye damage/irritation:	Causes serious eye irritation
Respiratory or skin sensitisation:	No data available



# SAFETY DATA SHEET

## Nutrite Professional Turf Fertilizer with 0.069% Bifenthrin Insecticide

Version 1.0  
Version Date  
06/01/2019

- 11.2 Listed in IARC or considered carcinogen by NTP or OSHA** Quartz (SiO<sub>2</sub>)  
CAS N°: 14808-60-7  
Group 1 (IARC), Volume 68, 100C
- 11.3 Further information** This product contains prismatic tremolite (e.g., cleavage fragments) as an impurity. Sufficient exposure to respirable prismatic tremolite dust may cause serious lung problems.

## 12. ECOLOGICAL INFORMATION

- 12.1 Toxicity** This product is very toxic to aquatic life. In sufficient quantity may deplete oxygen required by aquatic life. May cause eutrophication of ponds and lakes.  
Silica:  
Toxicity to Algae and Crustacea  
IC50: 440 mg/L (Exposure time: 72 Hours)  
Species: Algae  
EC50: 7600 mg/L (Exposure time: 48 Hours)  
Species: Daphnia
- 12.2 Persistence and degradability** No data available
- 12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil** No data available
- 12.5 Other adverse effects** May release ammonium ions that are toxic to fish. Un-ionized ammonia concentrations above 0.02 mg/l are considered toxic in fresh water. May release phosphates which will result in algae growth, increased turbidity, and depleted oxygen. At extremely high concentrations, this may be hazardous to fish or other marine organisms. Release to watercourses may cause effects downstream. Fish 96 hour LC50, OECD Guidelines 203 (rainbow trout): >86mg/L.

## 13. DISPOSAL CONSIDERATIONS

- 13.1 Disposal methods to employ** Recover or recycle if possible. Properly characterize all waste materials. Consult federal, state/provincial and local regulations regarding the proper disposal of this material. Prevent material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Empty containers should be taken to an approved waste handling site for recycling or disposal.
- 13.2 Description of appropriate disposal containers to use** No data available
- 13.3 Description of the physical and chemical properties that may affect disposal activities** No data available
- 13.4 Language discouraging sewage disposal.** No data available





**SAFETY DATA SHEET**  
**Nutrite Professional Turf Fertilizer with**  
**0.069% Bifenthrin Insecticide**

Version 1.0  
Version Date  
06/01/2019

**13.5 Any special precautions for landfills or incineration activities**      No data available

**14. TRANSPORT INFORMATION**

UN Number .....  
UN proper shipping name .....  
Transport hazard classes .....  
Packing group .....  
Environmental hazards .....  
Guidance On transport in bulk .....  
Special precautions for user .....

**15. REGULATORY INFORMATION**

**National and/or regional regulatory information of the chemical or mixtures**

Inventories:

US. Toxic Substances Control Act: No data available

OSHA Hazards: Carcinogen

Clean Air Act: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

**16. OTHER INFORMATION**

**Indications on the revision**

First edition: 04/27/2016  
Addition of all fields as required by regulation (US) HCS 1910.1200 [HCS 2012].  
Update of the classification information and update of related sections accordingly.

**Abbreviations and acronyms used**

ACGIH: American conference of governmental and industrial hygienist  
CAS N°.: Chemical Abstract Service Number  
CFR: Code of Federal Regulations  
EC50: Half maximal effective concentration  
HCS: Hazard communication standard  
LC50: Half maximal lethal concentration  
LD50: Half maximal lethal dose  
OSHA: Occupational safety and health administration  
STOT SE: Specific target organ toxicity Single exposure  
STOT RE: Specific target organ toxicity Repeated exposure



**SAFETY DATA SHEET**  
**Nutrite Professional Turf Fertilizer with**  
**0.069% Bifenthrin Insecticide**

Version 1.0  
Version Date  
06/01/2019

UN N°.: United Nations Number

**Methods of evaluation for the classification of mixtures**

The classification of the mixture was set based on the regulation (US) HCS 1910.1200 [HCS 2012].

**Other information**

This information is based on our present knowledge and is provided according to the relevant national regulations. This information is intended as a characterization of the product in order to provide guidance for the relevant safety issues. However, this document does not provide any warranty, expressed or implied, regarding the properties of the product.



# Nutrite Professional Turf Fertilizer with 0.069% Bifenthrin Insecticide

This is a Double Action product with **Lawn Food** and **Bifenthrin Insecticide** Feeds the Lawn and controls listed lawn insects including: *Ants (including Imported Fire Ants), Mole Crickets, Sod Webworms, Chinch Bugs and other Pests as listed. For Lawns, in Landscape areas, around Residential, Commercial, Institutional, Public, and Industrial Buildings, Parks, Recreational Lawns, and Athletic Fields.*

<b>16-0-16 with Defend®</b>	
<b>GUARANTEED ANALYSIS</b>	
Total Nitrogen (N).....	16.0%
16.0% Urea Nitrogen*	
Soluble Potash (K <sub>2</sub> O).....	16.0%
Derived from: Urea, Muriate of potash bioactives,	
16.0% Stabilized Nitrogen from Diorganamide.	

<b>ACTIVE INGREDIENT:</b>	
Bifenthrin* CAS [83322-82657].....	0.069%
<b>OTHER INGREDIENTS:</b> .....	99.931%
<b>TOTAL:</b>	<b>100.000%</b>

\*Is isomers 97% minimum; trans-isomers 3% maximum.

## KEEP OUT OF REACH OF CHILDREN CAUTION

EPA REG. NO. 53883-160-87245  
EPA EST. NO. 87245-CAN-001 (C)  
EPA EST. NO. 82091-CAN-1 (P)  
EPA EST. NO. 0891351-AZ-001 (A)  
EPA EST. NO. 83245-CT-001 (CT)  
EPA EST. NO. 90561-NC-001 (N)  
EPA EST. NO. 90561-NC-001 (N)

\*Numbered in parentheses and as first letter of alphanumeric  
†First letter of "C", "CT" or "N". Manufactured in USA

Product Code: P003241  
Net Wt. 50 lb (22.68 kg)

MANUFACTURED & GUARANTEED BY:  
Fertl Technologies  
580 Rialoune, P.O. Box 129  
Saint-Michel, QC, J0L 2J0  
Canada

**FIRST AID**  
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® at (888) 397-8050 for emergency medical treatment information.

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

### PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals**  
**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply when weather conditions favor drift and runoff from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off.

Do not make applications during the rain.  
Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Do not allow children or pets to enter the area until dry.  
Do not apply more than 580 lbs. per acre (13.3 lbs. per 1,000 square feet) of this product per year. Not for use on turf being grown for sale or other commercial use as sod, or for commercial greenhouses, nurseries, commercial seed production or research purposes.

This product should be applied when insects first appear.  
Application of this product should be applied evenly with a properly calibrated drop or rotary spreader over the entire turfgrass area at a rate of 3.33 to 6.66 pounds per 1,000 square feet. A uniform application is most desirable and is best achieved by spreading half of the required amount of products over the area and then applying the remaining half with swaths at a right angle to the first. A thorough irrigation of the treated area, immediately after application will provide best results.

**Restrictions concerning use near water.**  
Do not apply this product within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, or natural ponds, natural estuaries, and commercial fish ponds.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
**PESTICIDE STORAGE:** Store product in its original container in a cool, dry, locked place out of the reach of children and animals.  
**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Never pour unused product down any indoor or outdoor drain.

### CONTAINER DISPOSAL

If empty, Non-refillable container: Do not reuse or refill this container. Offer for recycling, if available. Do not reuse unless required for recycling. If recycling is not available, then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.  
If partly filled: Call your local solid waste agency for disposal instructions. Never pour unused product down any indoor or outdoor drain.

The contents of this 50 lb. bag feeds up to 15,000 sq.ft.

### LAWN AND PERIMETER APPLICATIONS

This product is intended to prevent and reduce insect entry to homes and businesses. When using this product as directed, apply a 6 foot D feet wide band to the lawn areas around and adjacent to the structure. Observe and apply the following application rates.

### LAWN APPLICATION

Apply 3.33 lbs. per 1,000 sq.ft.	Apply 6.66 lbs. per 1,000 sq.ft.
<b>Annual Bluegrass.</b>	**Ants.
<b>Arroyos (Hyperode Adult)</b>	**Centipedes.
<b>Awemys (Adult)</b>	**Fire Ants.
<b>Billbugs (Adult)</b>	**Fleas.
<b>Black Turfgrass</b>	**Millipedes.
<b>Ataenurus (Adult)</b>	**Mole Crickets
<b>Cutworms.</b>	**Chinch Bugs.
<b>Sod Webworms.</b>	**Ticks and Chiggers

This product will provide optimum control of Imported Fire Ants if combined with a mound treatment. A broadcast application of the area to be treated will control foraging worker ants and newly mated queens. In addition a mound treatment at the same time will aid in the destruction of the existing colony. For controlling mounds use a registered pesticide labeled for treatment of fire ant mounds. The highest rate noted on the application table may be required to control Imported Fire Ants as well as Chiggers, Centipedes, Chinch Bugs, Fleas, Millipedes and other foraging ants.

In New York State this product may not be applied to any grass or turfgrass within 100 ft. of a water body (lake, pond, river, stream, wetland, drainage ditch). In New York State do make a single repeat application if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.

**Suggested Spreader Settings**  
Varied conditions will affect the application rates of spreaders; therefore, the settings listed below are approximate. Age and conditions of spreader and walking speed can cause variation in application rate. Calibrate your spreader with each application. Close spreader hopper and adjust the setting using the suggested settings chart below. Fill spreader on a hard surface to eliminate the chance of spillage on the lawn. Close spreader hopper when stopping or turning.

Spreader	3.33 lb/1000 sq. ft.	6.33 lb/1000 sq. ft.
Scotts EasyGreen® Rotary	27	30 ½
Scotts AccuGreen 2000	5	7 ½
Scotts Lawn Pro Broadcast	4 ½	6
GreenView Drop (Spread III)	5	8
Lesco Rotary	E	6
Earthway Rotary	12	16
Ortho Rotary	4	7
Precision Rotary	5	7 ½

### CONDITIONS OF SALE AND WARRANTY

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying and using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The DIRECTIONS FOR USE of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Lawn and turf injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Nutrite or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

Nutrite warrants that this product conforms to the chemical description on the label, and is reasonably fit for the purposes set forth in the DIRECTIONS FOR USE, when it is used in accordance with such directions, subject to the inherent risks mentioned above.

TO THE EXTENT PERMITTED BY LAW, AND WHERE NECESSARY, NUTRITE MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY EXTENDS TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT, IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING, OR CAUTIONS. BUYER'S EXCLUSIVE REMEDY AND CLAIMS, LOSSES, DAMAGES AND EXPENSES SHALL BE LIMITED TO THE HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, IN TORT OR OTHERWISE. SHALL BE LIMITED. AT THE MANUFACTURER'S OPTION TO REPLACEMENT OF, OR THE REPAIR OF THE PRODUCT. THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. LIMITS OF DAMAGES RESULTING FROM THE USE OF THIS PRODUCT, IN TORT OR OTHERWISE, SHALL BE LIMITED TO THE AMOUNT ACCEPTED BY THE BUYER AND USER